

11.0 REFERENCES

- Agee, J.K. 1994. Fire history of Douglas-fir forests in the Pacific Northwest. In USDA Forest Service General Technical Report PNW-GTR-285 (pp. 28-33). Portland, OR: Pacific Northwest Research Station.
- Andonaegui, C. 1999. Salmon and steelhead limiting factors report for the Entiat watershed: Water Resource Inventory Area (WRIA) 46, version 3. Olympia, WA: Washington Conservation Commission.
- Archibald, P. 2003. 2003 spring spawning surveys for rainbow/steelhead trout Entiat Ranger District. USFS Wenatchee National Forest, Entiat Ranger District, Entiat, WA.
- Archibald, P. 2004. 2003 sediment monitoring report: Entiat River, Mad River. USFS Wenatchee National Forest, Entiat Ranger District: Entiat, WA.
- Archibald and Johnson. 2002. 2002 stream temperature monitoring report, Entiat and Chelan Ranger Districts. USFS Wenatchee National Forest, Entiat Ranger District, Entiat, WA.
- Bartholow, J. M. 1989. Stream Temperature Investigations: Field and Analytic Methods. Instream Flow Information Paper No. 13. U. S. Fish and Wildlife Service Biological Report. 89 (17). 139 pp.
- Beschta, R.L., R.E. Bilby, G.W. Brown, L.B. Holtby and T.D. Hofstra. 1987. Stream temperature and aquatic habitat: fisheries and forestry interactions. Pages 191-232 *In: E.O. Salo and T.W. Cundy (eds.), Streamside management: forestry and fishery interactions. Cont. 57. University of Washington, College of Forest Resources, Seattle, WA.*
- BioAnalysts, Inc. 2002a. Effects of a powerhouse shutdown on summer/fall Chinook salmon incubation success. Study report prepared for PUD No. 1 of Chelan County, Wenatchee, WA.
- BioAnalysts, Inc. 2002b. Movement of bull trout within the Mid-Columbia River and tributaries 2001-2002. Rocky Reach Hydroelectric Project FERC Project No. 2145. Public Utility District No. 1 of Chelan County. Wenatchee, WA.
- BioAnalysts, Inc. 2003. Movement of bull trout within the Mid-Columbia River and tributaries 2002-2003. *First Draft*. Rocky Reach Hydroelectric Project FERC Project No. 2145. Public Utility District No. 1 of Chelan County. Wenatchee, WA.
- Bjornn, T.C. and D.W. Reiser. 1991. Chapter 4, Habitat requirements of salmonids in streams. Pp. 83-138 *In: W. Meehan (ed.). Influences of forest and rangeland management on salmonid fishes and their habitats. Spec. Pub. 19. Amer. Fish. Soc.*

- Bovee, K.D., B.L. Lamb, J.M. Bartholow, C.B. Stalnaker, J. Taylor, and J. Henriksen. 1998. Stream habitat analysis using the instream flow incremental methodology. U.S. Geologic Survey, Biological Resources Division Information and Technology Report 1998(4): 131 pp. (<http://www.fort.usgs.gov/products/pubs/3910/3910.asp>).
- Brett, J.R. 1952. Temperature tolerance in young Pacific salmon, Genus *Oncorhynchus*. J. Fish Res. BD. Can. 9:265-323.
- Bryant, F.G. and Z.E. Parkhurst. 1950. Survey of the Columbia River and its tributaries. No. 4. Area III, Washington streams from the Klickitat and Snake Rivers to Grande Coulee Dam, with notes on the Columbia and its tributaries above Grande Coulee Dam. U.S. Fish and Wildlife Service. Special Scientific Reports on Fisheries No. 37.108 pp.
- Caldwell, B. H. Beecher, and J. Pacheco. 1995 - In Revision. Entiat and Mad Rivers: fish habitat analysis using the Instream Flow Incremental Methodology. Washington Department of Ecology open file technical report no. 95-166. Olympia, WA. 62pp. (<http://www.ecy.wa.gov/biblio/95166.html>).
- Carie, D.G. 1994, 1995, 1996, 1997, 1998, 1999. Spring and Summer Chinook Salmon Spawning Ground Surveys on the Entiat River, 1998. USFWS Mid-Columbia R. Fishery Resource Office, 12790 Fish Hatchery Road, Leavenworth, WA 98826.
- CCCD. 1998. Entiat River inventory and analysis. Chelan County Conservation District, Wenatchee, WA.
- CCCD. 1999. Entiat valley watershed study: Draft Coordinated Resource Management Plan. Chelan County Conservation District, Wenatchee, WA.
- CCCD. 2002. Entiat valley watershed study: Final Coordinated Resource Management Plan/First Draft WRIA 46 Management Plan. Chelan County Conservation District, Wenatchee, WA.
- CCCD. 2003a. Entiat subbasin hydrograph separation analysis. Draft report prepared for the Entiat WRIA Planning Unit. Chelan County Conservation District, Wenatchee, WA.
- CCCD. 2003b. Entiat subbasin gain-loss study. Draft report prepared for the Entiat WRIA Planning Unit. Chelan County Conservation District, Wenatchee, WA.
- Chapman, D. 1988. Critical review of variables used to define effects of fines in redds of large salmonids. Trans. American Fisheries Society. 117(1): 1-21.
- Chapman, D., and seven co-authors. 1995. Status of sockeye salmon in the mid-Columbia Region. Don Chapman Consultants, Inc., Boise ID.
- Combs, B.D. 1965. Effect of temperature on the development of salmon eggs. Progressive Fish Culturist. 27(3): 134-137.

- Cooper, M. 2003. 2003 salmon nutrient distribution memorandum. US Fish and Wildlife Service Mid-Columbia River Fishery Resource Office, 7501 Icicle Road, Leavenworth, WA.
- Copenhagen, M. 1978. Hydrometeorological Records – Entiat Barometer Watershed 1966-1978. Unpublished report prepared for the USFS Wenatchee National Forest, Entiat Ranger District.
- Cowardin, L.M., Carter, V. and E.T. LaRoe. 1979. Classification of wetlands and deepwater habitats of the United States (FWS/OBS-79/31). Prepared for the U.S. Fish and Wildlife Service, Office of Biological Services. Washington, DC.
- Craig, J. A. and A. J. Suomela. 1941. Time of appearance of the runs of salmon and steelhead trout native to the Wenatchee, Entiat, Methow, and Okanogan rivers. U.S. Fish and Wildlife Service, Olympia, WA.
- Coutant, C. 1976. Thermal Effects on Fish Ecology. Pages 891-896 in Encyclopedia of Environmental Science and Engineering, Vol. 2. Gordon and Breach, NY. 1091 pp.
- Daly, C., G.H. Taylor, and W.P. Gibson. 1997. The PRISM approach to mapping precipitation and temperature, In reprints: 10th Conf. on Applied Climatology, Reno, NV, American Meteorological Society, 10-12.
- Daly, C., R.P. Neilson, and D.L. Phillips. 1994. A statistical-topographic model for mapping climatological precipitation over mountainous terrain. Journal of Applied Meteorology, 33: 140-158.
- Davis, D. and D. Serdar. 1996. Washington State pesticide monitoring program: 1994 Fish tissue and sediment sampling report. Washington Department of Ecology Publication No. 96-352. Olympia, WA: WDOE Publications Office.
- De Staso III and Rahel, F. 1994. Influence of Water Temperature on Interactions between Juvenile Colorado River Cutthroat Trout and Brook Trout in a Laboratory Stream. Transactions of the American Fisheries Society. 123:289-297.
- Dixon, R.M. 2003. Use of a GIS-based Hydrogeologic Database to Estimate Groundwater Storage Volumes and Annual Recharge Volumes within the Entiat River Valley, Chelan County, Washington. Washington Department of Ecology draft unpublished report. Prepared for the Entiat WRIA Planning Unit. Yakima, WA: WDOE Central Regional Office.
- ECONorthwest. 2003. Economic analysis of the impact of Rocky Reach Dam and Reservoir on the City of Entiat and Entiat School District #127. Prepared for the City of Entiat and Entiat School District #127. Eugene, OR.

- Ehinger, W. 1994. A Review of the data from the Entiat River basin collected for the ambient monitoring database. Washington Department of Ecology Publication No. 94-e15. Olympia, WA: WDOE Publications Office.
- English, K.K., Sliwinski, C., Nass, B. and J.R. Stevenson. 2001. Assessment of adult steelhead migration through the Mid-Columbia River using radio-telemetry techniques, 1999-2000. Prepared for Public Utility District No. 2 of Grant County, Public Utility District No. 1 of Chelan County, and Public Utility District No. 1 of Douglas County. Sidney, BC: LGL Limited environmental research associates.
- Entiat Valley History. 1996. Videotapes 1 and 2, recorded February 26, 1996. Available from the Chelan County Conservation District. Wenatchee, WA.
- ENTRIX, Inc. 2003. Final flow study report for the Entiat Watershed WRIA 46. Project No. 339202. Prepared for the Entiat WRIA Planning Unit and Chelan County Conservation District. Seattle, WA: Entrix, Inc.
- Erickson, J. 2003. Historical Changes in the lower Entiat River, Washington: Implications for stream restoration and salmon recovery. Master's thesis. Central Washington University Geography and Land Studies Department, Ellensburg, WA.
- Faux, R. and P. Archibald. 2002. Mapping stream temperature patterns in the Mad River in central Washington, USA. Watershed Sciences, LLC, Corvallis, OR.
- Federal Clean Water Act §1314 (a), 33 U.S.C. § 26 (1977).
- Fish, F. F. and M. G. Hanavan. 1948. A report on the Grand Coulee fish maintenance project 1939 – 1947. U.S. Fish and Wildlife Service special report 55.
- Ford, M., Budy, P., Busack, C., Chapman, D., Cooney, T., Fisher, T., Geiselman, J., Hillman, T., Lukas, J., Peven, C. Toole, C., Weber, E., and P. Wilson. 2001. Upper Columbia River steelhead and spring Chinook salmon population structure and biological requirements, National Marine Fisheries Service, Northwest Fisheries Science Center.
- Gilbert, C.H. and W.H. Rich. 1927. Second experiment in tagging salmon in the Alaska Peninsula reservation, summer of 1923. Bull. U.S. Bur. Fish. Vol. 42:27-75.
- Gillis Group. 1994. Entiat valley community action plan. Prepared for the City of Entiat and the USFS Wenatchee National Forest, Entiat, WA. Ritzville, WA.
- Hamstreet, C. and D.G. Carie. 2002. Spring and Summer Chinook Salmon Spawning Ground Surveys on the Entiat River, 2001. US Fish and Wildlife Service Mid-Columbia R. Fishery Resource Office, 12790 Fish Hatchery Road, Leavenworth, WA 98826.

- Hamstreet, C. and D.G. Carie. 2003. Spring and Summer Chinook Salmon Spawning Ground Surveys on the Entiat River, 2002. US Fish and Wildlife Service Mid-Columbia R. Fishery Resource Office, 12790 Fish Hatchery Road, Leavenworth, WA 98826.
- Hamstreet, C. and D.G. Carie. 2004. Spring and Summer Chinook Salmon Spawning Ground Surveys on the Entiat River, 2003. US Fish and Wildlife Service Mid-Columbia R. Fishery Resource Office, 12790 Fish Hatchery Road, Leavenworth, WA 98826.
- Harrelson, C.C., Rawlins, C.L. and J.P. Potyondy. 1994. Stream channel reference sites: An illustrated guide to field technique. USDA Gen. Tech. Rep. No. RM 245 (61pp.).
- Haskins, J. 1990. Mad River stream survey report, Wenatchee National Forest. US Forest Service Wenatchee National Forest, Entiat Ranger District, Entiat, WA.
- Helvey, J.D and W.B. Fowler. 1999. A Summary of Hydroclimatic Data from the Entiat Experimental Forest. Unpublished data summary prepared for the USFS Wenatchee Forest Science Lab, Wenatchee, WA.
- Hendrick, R. and J. Monahan. 2003. An assessment of water temperatures of the Entiat River, Washington using the Stream Network Temperature Model (SNTMP). Final draft report prepared through the water quality subcommittee for the Entiat WRIA Planning Unit. Wenatchee, WA.
- Hillman, T. W., and D. W. Chapman. 1989a. Abundance, growth, and movement of juvenile Chinook salmon and steelhead. In Don Chapman Consultants, Inc., Summer and winter ecology of juvenile Chinook salmon and steelhead trout in the Wenatchee River, Washington (pp. 1-41). Final report to Chelan County Public Utility District, Wenatchee, WA.
- Hillman, T.W. and D.W. Chapman. 1989b. Seasonal habitat use and behavioral interaction of juvenile Chinook salmon and steelhead. I: Daytime habitat selection. In Don Chapman Consultants, Inc., Summer and winter ecology of juvenile Chinook salmon and steelhead trout in the Wenatchee River, Washington (pp.42-82). Final report to Chelan County Public Utility District. Wenatchee, WA.
- Hillman, T.W. and D.W. Chapman. 1989c. Seasonal habitat use and behavioral interaction of juvenile Chinook salmon and steelhead. II: Nighttime habitat selection. In Don Chapman Consultants, Inc., Summer and winter ecology of juvenile chinook salmon and steelhead trout in the Wenatchee River, Washington (pp. 83-108). Final report to Chelan County Public Utility District. Wenatchee, WA.
- Hillman, T.W. 2003. Monitoring strategy for the Upper Columbia Basin. Draft report. Available from the Upper Columbia Salmon Recovery Board, P.O. Box 3096, Chelan, WA, 98816.

- Holtby, L.B. 1988. Effects of logging on stream temperatures in Carnation Creek, British Columbia, and associated impacts on coho salmon (*Oncorhynchus kisutch*). Can. J. Fish. Aquat. Sci. 45:502-515.
- Holtby, R. 1972. Mad River stream survey report, Wenatchee National Forest. USFS WNF, Wenatchee, WA.
- Hoos, A. B. 1990. Recharge Rates and Aquifer Hydraulic Characteristics for Selected Drainage Basins in Middle and East Tennessee. USGS Water-Resources Investigations Report 90-4015 (34pp.).
- Interior Columbia River Basin Technical Recovery Team. 2003. Independent populations of Chinook, steelhead, and sockeye for listed Evolutionarily Significant Units within the Interior Columbia River domain. Working draft report. National Oceanographic and Atmospheric Administration Department of Fisheries Northwest Regional Office.
- James, L.G., Erpenbeck, J.M., Bassett, D.L., and J.E. Middleton. 1982. Irrigation requirements for Washington - Estimates and methodology. Washington State University Agricultural Research Center Research Bulletin No. XB 0925, Part I: Estimates for 39 crops.
- Kirk, T., Kerr, P. and H. Riddle. 1995. Initial watershed assessment Water Resources Inventory Area 46 Entiat River watershed. Washington Department of Ecology open file report no. 95-02. Yakima, WA.
- Lantz, R.L. 1970. Influence of water temperature on fish survival, growth and behavior. Pages 182-193 *In*: J. Morris (ed.), Proceedings of a symposium on forest land uses and the stream environment. Oregon State University. Corvallis.
- Lillquist, K. and J. Erickson. 2002. Entiat River Watershed, Washington, land use and riparian vegetation survey GIS information and key. Unpublished report prepared for the Chelan County Conservation District. Central Washington University Geography and Land Studies Department, Ellensburg, WA.
- MacDonald, L.H., A.W. Smart, and R.C. Wissmar. 1991. Monitoring guidelines to evaluate effects of forestry activities on streams in the Pacific Northwest and Alaska. EPA 910/9-91-001. Region 10 USEPA. Seattle.
- Mobrand Biometrics, Inc. 2003. Entiat EDT watershed analysis. Final Report prepared for the Yakama Nation. Vashon Island, WA.
- Mosey, T.R. and L.J.Murphy. 2002. Spring and summer Chinook spawning ground surveys on the Wenatchee River Basin, 2002.
- Mullan, J. W. 1986. Determinants of sockeye salmon abundance in the Columbia River, 1880s -1982: a review and synthesis. U.S. Fish and Wildlife Service report number FRI/FAO-84-4. Leavenworth, WA.

- Mullan, J. W., Williams, K.R., Rhodus, G., Hillman, T.W. and J. D. McIntyre. 1992. Production and habitat of salmonids in mid-Columbia River tributary streams. U.S. Fish and Wildlife Service Monograph I: 1-489. Leavenworth, WA.
- Myers, J. M., Kope, R.G., Bryant, G.J., Teel, D., Lierheimer, L.J., Wainwright, T.C., Grant, W.S., Waknitz, F.W., Neely, K., Lindley, S. T. and R.S. Waples. 1998. Status review of Chinook salmon from Washington, Idaho, Oregon, and California, United States Department of Commerce, National Oceanic and Atmospheric Administration: 443.
- Nehlsen, W., Williams, J.E. and J.A. Lichatowich. 1991. Pacific salmon at the crossroads: stocks at risk from California, Oregon, Idaho, and Washington. *Fisheries*. 16(2):4-21.
- Petersen, N.P., Hendry, A. and T.P. Quinn. 1992. Assessment of cumulative effects on salmonid habitat: some suggested parameters and target conditions. Timber, Fish and Wildlife agreement: TFW -F3-92-001.
- Peven, C. M. 1992. Population status of selected stocks of salmonids from the mid-Columbia River basin. Chelan County Public Utility District, Wenatchee, WA, 52 pp.
- Public Utility District No.1 of Chelan County. 1999. Initial Consultation Document for the relicensing of the Rocky Reach hydroelectric project, FERC Project No. 2145. Wenatchee, WA. 427pp. (pp E4-2 through E4-4).
- Rashin, E., D. Schuett-Hames, and J. Matthews. 1993. Stream Temperature Module, Timber-Fish-Wildlife Ambient Monitoring Program, Northwest Indian Fisheries Commission. WA DNR no. TFW-AM9-93-001.
- Reiser, D.W. and R.G. White. 1988. Effects of two sediment size-classes on survival of steelhead and Chinook salmon eggs. *North American Journal of Fisheries Management*. 8:432-437.
- Rhodus, G. and R. Edwards. 2003. Entiat Water Resources, v 1.0. Unpublished data files and summary sheets. Prepared for the Chelan County Conservation District and Entiat WRIA Planning Unit.
- Rosgen, D.L. 1994. A classification of natural rivers. Elsevier Science, *Catena Journal*, Volume 22, No. 3: 169-199.
- Schuett-Hames, D. R., Conrad, A. P. and M. McHenry. 1999. TFW Monitoring Program method manual for the salmonid spawning grave composition survey. Prepared for the Washington State Dept. of Natural Resources by the Northwest Indian Fisheries Commission under the Timber, Fish, and Wildlife Agreement. TFW-AM9-99-006. DNR #108.
- SCS. 1969. Soil survey of Chelan area, Washington: Parts of Chelan and Kittitas Counties. USDA Soil Conservation Service, Washington, DC.

- SCS. 1990. Soil survey of Cashmere Mountain area, Washington, parts of Chelan and Okanogan counties. USDA Soil Conservation Service unpublished manuscript.
- Sinclair, K.A. and C.F. Pitz. 1999. Estimated baseflow characteristics of selected Washington rivers and streams. Washington Department of Ecology Environmental Assessment Program. Water Supply Bulletin No. 60 (25pp.). Olympia, WA: WDOE Publications Office.
- Sloto, R.A. and M.Y. Crouse. 1996. HYSEP: A computer program for stream flow hydrograph separation and analysis. US Geologic Survey Water Resources Investigation Report 96-4040 (46pp.).
- Smith, S.D. 1992. Stream macroinvertebrate samples Wenatchee National Forest. Technical report prepared for the USFS WNF. Central Washington University: Ellensburg, WA.
- Speck, G. 1970. *Northwest Explorations*. Portland, Oregon: Binford & Mort Publishers. 400pp.
- Stewart, J. 1999. Report on the update of the community action plan and a vision and goals for Entiat, Washington. Prepared for the City of Entiat and the U.S. Forest Service. Chelan, WA.
- Swanston, D. N. 1991. Natural Processes. In W. R. Meehan (Ed.), *Influence of forest and rangeland management on salmonid fishes and their habitats* (pp. 139-179). American Fisheries Society.
- Tang, J., M.D. Bryant, and E.L. Brannon. 1987. Effect of temperature extremes on the mortality and development rates of coho salmon embryos and alevins. *Prog. Fish Culturist*, 49:167-174.
- Taylor, E. 1988. Water Temperature and Velocity as Determinants of Microhabitats of Juvenile Chinook and Coho Salmon in a Laboratory Stream Channel. *Transactions of the American Fisheries Society* 117:22-28.
- Theurer, F. D., Voos, K. A., and Miller, W. J. 1984. Instream Water Temperature Model. Instream Flow Information Paper No. 16. Cooperative Instream Flow and Aquatic Systems Group, U.S. Fish and Wildlife Service. Fort Collins, CO. Approx. 200 pp.
- US Census Bureau. 1991a. Table DP-1. General population and housing characteristics: 1990. 1990 Summary tape file (SF-1) – 100-percent data, Entiat city, Washington. Retrieved May 10, 2002 from:
http://factfinder.census.gov/servlet/QTable?ds_name=D&geo_id=16000US530405&q_r_name=DEC_1990_STF1_DP1&lang=en
- US Census Bureau. 1991b. Census 1990 Summary File 1 (SF1) 100-Percent data, Detailed Tables. Retrieved May 10, 2002 from:

http://factfinder.census.gov/servlet/DTGeoSearchByListServlet?ds_name=DEC_1990_SF1_U&lang=en&ts=92169914413

- US Census Bureau. 2001a. Table DP-1. Profile of general demographic characteristics: 2000, Entiat city, Washington; Table DP-3. Profile of selected economic characteristics: 2000, Entiat city, Washington. Retrieved May 10, 2002, from: <http://censtats.census.gov/data/WA/1605322010.pdf>
- US Census Bureau. 2001b. Census 2000 Summary File 1 (SF1) 100-Percent data, Detailed Tables. Retrieved May 10, 2002 from: http://factfinder.census.gov/servlet/DTGeoSearchByListServlet?ds_name=DEC_2000_SF1_U&lang=en&ts=92169717961
- USDA Economics, Statistics, and Cooperatives Service; Forest Service; and Soil Conservation Service. 1979. Entiat co-operative river basin study. Entiat, WA.
- USFS WNF. 1976. Soil resource inventory of the Wenatchee National Forest. US Forest Service Wenatchee National Forest. Wenatchee, WA.
- USFS WNF. 1990. Land and Resource Management Plan Wenatchee National Forest. US Forest Service Wenatchee National Forest. Wenatchee, WA.
- USFS WNF. 1996. Watershed assessment Entiat analysis area, v2.0. US Forest Service Wenatchee National Forest, Entiat Ranger District, Entiat, WA.
- USFWS. 2002a. Draft hatchery and genetic management plan, Entiat National Fish Hatchery, Leavenworth Hatchery Complex. Leavenworth, WA.
- USFWS. 2002b. Chapter 22, Upper Columbia Recovery Unit, Washington. 113 p. *In*: U.S. Fish and Wildlife Service. Bull Trout (*Salvelinus confluentus*) Draft Recovery Plan. Portland, Oregon.
- USDI Geologic Survey. 1902. Forest conditions in the Cascade range; between the Washington and Mount Rainier forest reserves.
- Washington Department of Fisheries, Washington Department of Wildlife, and Western Washington Indian Tribes. (1993). 1992 Washington state salmon and steelhead stock Inventory (SASSI). Olympia, WA: Washington Department of Fisheries.
- Watershed Sciences, LLC. 2001. Aerial remote sensing surveys in the Methow, Entiat, and Wenatchee River sub-basins: Thermal infrared and color videography. Preliminary report prepared for Pacific Watershed Institute. Corvallis, OR.
- WDOE. 1996. Watershed approach to water quality Management: Needs assessment for the Wenatchee water quality management area. Washington Department of Ecology publication No. WQ-96-08. Olympia, WA: Publications Office.

- WDFW. 1998. 1998 Salmonid Stock Inventory (SaSI) Bull trout/Dolly varden volume. Washington Department of Fish and Wildlife, Olympia, WA.
- WDFW. 2002. 2002 Salmonid Stock Inventory (SaSI). Washington Department of Fish and Wildlife, Olympia, WA. Retrieved from: <https://fortress.wa.gov/dfw/salmonscape/> on May 12, 2004.
- WDFW. 2004a. Washington Priority Habitats and Species list. Washington Department of Fish and Wildlife, Olympia, WA. Retrieved from: <http://wdfw.wa.gov/hab/phslist.pdf> on May 14, 2004.
- WDFW. 2004b. Washington Species of Concern lists. Washington Department of Fish and Wildlife, Olympia, WA. Retrieved from: <http://www.wa.gov/wdfw/wlm/diversty/soc/soc.htm> on May 10, 2004.
- Whiley, A.J. and B. Cleland. 2003. Wenatchee National Forest water temperature Total Maximum Daily Load. Washington Department of Ecology technical report. Publication No.03-10-063. Olympia, WA: Publications Office.
- Workman, R. D., Hayes, D. B., and Coon, G. T. 2002. A Model of Steelhead Movement in Relation to Water Temperature in Two Lake Michigan Tributaries. Transactions of the American Fisheries Society. 131:463-475.