

TABLE OF CONTENTS

LANDOWNER PREFACE	ii
DEDICATION	iii
ACKNOWLEDGEMENTS	iv
EXECUTIVE SUMMARY	ES-1
1.0 INTRODUCTION	1-1
1.1 HISTORY OF RESOURCE PLANNING IN THE ENTIAT VALLEY.....	1-1
1.2 WATERSHED PLANNING.....	1-2
1.2.1 The Watershed Planning Act.....	1-2
1.2.2 Initiation of Watershed Planning in WRIA 46	1-4
1.2.3 Vision and Goals of the Entiat WRIA Planning Unit (EWPU).....	1-5
1.3 SCOPE AND DEVELOPMENT OF THE ENTIAT WRIA 46 MANAGEMENT PLAN	1-6
2.0 PLANNING CONTEXT AND REGULATORY CONSIDERATIONS.....	2-1
2.1 FEDERAL.....	2-1
2.1.1 National Environmental Policy Act	2-1
2.1.2 Endangered Species Act	2-2
2.1.3 Clean Water Act.....	2-2
2.1.4 Federal Land Policy and Management Act	2-3
2.1.5 National Forest Management Act and Northwest Forest Plan.....	2-3
2.2 STATE.....	2-24
2.2.1 Salmon Recovery Act.....	2-24
2.3 REGIONAL/LOCAL	2-25
2.3.1 Subbasin Planning	2-25
2.3.2 Regional Salmon Recovery Planning	2-25
2.3.3 Tribal Recovery Planning/Spirit of the Salmon	2-25
2.3.4 Chelan County Comprehensive Land Use Planning.....	2-26
3.0 WRIA CHARACTERIZATION	3-1
3.1 LOCATION	3-1
3.2 HUMAN ENVIRONMENT.....	3-1
3.2.1 Historical Overview.....	3-1
3.2.2 Land Ownership.....	3-18
3.2.3 Land Use	3-20
3.2.4 Demography and Economics.....	3-28
3.2.5 Cultural Resources	3-33
3.3 NATURAL ENVIRONMENT	3-35
3.3.1 Climate	3-35
3.3.2 Topography	3-37
3.3.3 Geology.....	3-39
3.3.4 Land Type Associations.....	3-40
3.3.5 Soils and Prime Farmlands.....	3-43
3.3.6 Vegetation.....	3-44
3.3.7 Wetlands	3-47
3.3.8 Wildfire	3-48
3.3.9 Hydrology.....	3-50

4.0 WATER QUANTITY.....	4-1
4.1 STREAM GAGING NETWORK.....	4-1
4.1.1 Mainstem Entiat and Mad Rivers.....	4-1
4.1.2 Tributary gaging.....	4-4
4.2 STREAMFLOW RECORDS SYNTHESIS	4-7
4.3 HYDROGRAPH SEPARATION.....	4-8
4.3.1 Introduction.....	4-8
4.3.2 Results	4-8
4.4 WELL MONITORING	4-12
4.5 AQUIFER STORAGE MODEL.....	4-14
4.6 GAIN-LOSS ANALYSIS	4-17
4.7 WATER RECHARGE AREAS	4-20
4.8 WATER RIGHTS, CLAIMS AND APPLICATIONS.....	4-21
4.9 ACTUAL WATER USE	4-30
4.9.1 Irrigation Water Use.....	4-30
4.9.2 Domestic In-House Net Water Use.....	4-35
4.10 RESERVE WATER	4-39
4.11 FUTURE WATER SUPPLY REQUIREMENTS	4-41
4.11.1 Future Population Estimates	4-41
4.11.2 Future Domestic Water Use Estimates.....	4-44
4.11.3 Future Commercial Agriculture Water Use Estimates.....	4-45
4.11.4 Future Commercial/Light Industrial Water Use Estimates.....	4-46
4.12 WATER BANKING/LEASING OPPORTUNITIES	4-46
4.13 WATER STORAGE OPPORTUNITIES.....	4-47
5.0 INSTREAM FLOWS	5-1
5.1 INSTREAM FLOW INVESTIGATIONS	5-1
5.1.1 Previous Instream Flow Work in WRIA 46	5-2
5.2 Instream Flow Incremental Methodology (IFIM)	5-3
5.3 EWPU APPLICATION OF IFIM	5-3
5.3.1 Instream Flow Work Plan (IFWP) Development.....	5-4
5.3.2 IFIM Study Scope and Data Inputs.....	5-4
5.4 INSTREAM FLOWS	5-9
5.4.1 Planning Unit Instream Flows	5-10
5.4.2 Administrative Instream Flows	5-16
6.0 WATER BUDGET	6-1
6.1 INTRODUCTION	6-1
6.2 WATER BUDGET FORMAT.....	6-1
6.3 DATA INPUTS.....	6-2
6.4 UPPER ENTIAT RIVER BUDGET.....	6-2
6.5 LOWER ENTIAT RIVER BUDGET.....	6-6
6.6 MAD RIVER BUDGET	6-9
6.7 MINOR COLUMBIA RIVER TRIBUTARIES BUDGET	6-10
7.0 HABITAT.....	7-1
7.1 AQUATIC HABITAT.....	7-1
7.1.1 Physical Characteristics	7-1
7.1.2 Biological Characteristics.....	7-12

7.2	RIPARIAN CONDITION	7-33
7.2.1	Studies and Data Sources	7-33
7.2.2	Summary of Findings	7-36
7.3	FISH HABITAT CONDITION	7-38
7.3.1	Transport Zone	7-38
7.3.2	Transitional Zone.....	7-38
7.3.3	Depositional Zone	7-39
7.4	ENTIAT ECOSYSTEM DIAGNOSIS AND TREATMENT (EDT) ANALYSIS.....	7-50
7.4.1	Objectives	7-50
7.4.2	Basis of the EDT Analysis.....	7-52
7.4.3	EDT Diagnosis Results	7-55
7.4.4	Alternative Management and Restoration Scenarios (Treatments)	7-56
7.4.5	Discussion of Results.....	7-58
7.5	WILDLIFE HABITAT	7-59
7.5.1	Background.....	7-59
7.5.2	Federally Designated Wildlife and Plant Species.....	7-60
7.5.3	State Priority Habitats and Species	7-61
7.5.4	State and Federal Species of Concern	7-63
7.5.5	Sensitive and Rare Plants.....	7-63
8.0	WATER QUALITY	8-1
8.1	INTRODUCTION	8-1
8.1.1	Water Quality Classes	8-1
8.1.2	Characteristic Uses	8-1
8.1.3	Water Quality Parameters and Criteria	8-1
8.1.4	Clean Water Act 303(d) List.....	8-2
8.1.5	Total Maximum Daily Load	8-3
8.2	DATA SOURCES.....	8-4
8.3	WATER QUALITY FINDINGS.....	8-7
8.3.1	Temperature	8-7
8.3.2	Fecal Coliform Bacteria.....	8-17
8.3.3	Dissolved Oxygen.....	8-19
8.3.4	pH	8-20
8.3.5	Turbidity	8-22
8.3.6	Suspended Solids.....	8-22
8.3.7	Nutrients	8-22
8.3.8	Toxic Substances (DDT and metabolites).....	8-26
8.4	SUMMARY	8-26
8.5	STREAM NETWORK TEMPERATURE MODEL (SNTEMP).....	8-27
8.5.1	Introduction.....	8-27
8.5.2	Methods.....	8-28
8.5.3	Model Alternatives and Results.....	8-30
9.0	RECOMMENDATIONS.....	9-1
9.1	INTRODUCTION	9-1
9.1.1	Overarching Principles	9-2
9.2	GENERAL RECOMMENDATIONS	9-3
9.3	WATER QUANTITY AND INSTREAM FLOWS	9-4

9.3.1 Monitoring - water quantity and instream flows.....9-9

9.4 HABITAT9-10

9.5 WATER QUALITY9-16

9.6 ADDITIONAL MANAGEMENT ISSUES9-19

10.0 MONITORING AND EVALUATION..... 10-1

11.0 REFERENCES 11-1

12.0 GLOSSARY..... 12-1

13.0 LIST OF ACRONYMS..... 13-1

APPENDICES

Appendix A. Proposed watershed restoration projects, all ownerships

Appendix B. Completed watershed restoration project, all ownerships

Appendix C. Letters of support and summary of substantive public comments/responses

Appendix D. Summary of 2514 decision points through May17, 2004

Appendix E. Summary of public involvement and outreach activities since 1994

Appendix F. Federal Water Pollution Control Act excerpt

Appendix G. Chapter 173-201A WAC (Washington state surface water quality standards)

Appendix H. Ethnology

Appendix I. Treaty with the Yakima, 1855

Appendix J. Livestock count and interview estimates, April 3 & 4 1996

Appendix K. Priority Habitats and Species, Species of Concern, rare and sensitive plants that may occur in the Entiat WRIA.

Appendix L. Chapter 173-563 WAC instream resources protection program for the Mainstem Columbia River in Washington State.

Appendix M. Excerpt from D.H. Swanston, “Natural Processes”

Appendix N. Fish distribution maps, summary of State fish stocking, and fishing regulations.

LIST OF FIGURES

CHAPTER 1.0

Figure 1-1. Geographic scope of WRIA 46 Management Plan, included watersheds, and comparison to USFS WNF Entiat Ranger District administrative boundary.1-8

CHAPTER 2.0

Figure 2-1. USFS Northwest Forest Plan land allocations within WRIA 46.....2-4

CHAPTER 3.0

Figure 3-1. Location of WRIA 46 within Chelan County, the Upper Columbia Evolutionarily Significant Unit, and Washington State.3-2

Figure 3-2. Entiat valley-bottom log holding area associated with the Kellogg Mill near the mouth of Mills Canyon, 19143-4

Figure 3-3. Log holding dam constructed at the mouth of the Entiat River, 1898.3-5

Figure 3-4. View of the 1948 flood, at the Fish Hatchery near RM 7.	3-6
Figure 3-5. Remnant of the Ardenvoir Mill dam, washed out by the 1948 flood.	3-6
Figure 3-6. Keystone orchard, 1914	3-7
Figure 3-7. Old town of Entiat, circa 1900.	3-8
Figure 3-8. City of Entiat circa 1950, pre-Rocky Reach dam construction.	3-9
Figure 3-9. City of Entiat in 1999, post-Rocky Reach dam construction.	3-9
Figure 3-10. WRIA 46 primary land ownership in 2003.	3-19
Figure 3-11. Entiat River watershed - approximate land use percentages.	3-20
Figure 3-12. General view Hanan-Detwiler fish screen, completed April 1998.	3-22
Figure 3-13. Close-up view Hanan-Detwiler fish screen.	3-22
Figure 3-14. Silver Falls Forest Service campground at Entiat RM 31.	3-26
Figure 3-15. Number of exempt well logs submitted annually to WDOE since 1970.	3-29
Figure 3-16. City of Entiat taxable retail sales, 1981-2003.	3-31
Figure 3-17. Badger Mountain lookout (date unknown).	3-34
Figure 3-18. Steliko Ranger Station, circa 1926.	3-34
Figure 3-19. WRIA 46 average annual precipitation in inches.	3-36
Figure 3-20. WRIA 46 shaded relief / topography.	3-38
Figure 3-21. Entiat U-shaped valley created by glaciation, looking northwest near RM 24.	3-39
Figure 3-22. WRIA 46 landtype association analysis zones and fine sediment sampling sites.	3-42
Figure 3-23. Shrub/steppe vegetation in the lower Entiat valley.	3-45
Figure 3-24. Typical closed forest near the Shady Pass Road junction (RM 30).	3-45
Figure 3-25. Area where 1994 Tye fire crossed the main Entiat road near Roundy Creek (background).	3-50
Figure 3-26. Annual runoff (ac-ft) recorded at the Entiat near Entiat and Entiat near Ardenvoir USGS gages, 1957-2002.	3-52
Figure 3-27. Comparison of daily mean streamflows as recorded at USGS gages Entiat near Entiat and Entiat near Ardenvoir,	3-54
 CHAPTER 4.0	
Figure 4-1. Location and types of streamflow gaging sites in the Entiat WRIA.	4-6
Figure 4-2. Timeline showing the periods covered by composite daily flow records at gaging stations on the mainstem Entiat and Mad Rivers.	4-7
Figure 4-3. Monthly mean baseflow and surface runoff contributions (ac-ft) to the Entiat River based Keystone composite data.	4-10
Figure 4-4. Baseflow and surface flow contribution to annual streamflow recorded at the Entiat near Entiat (Keystone) gage,	4-11
Figure 4-5. WRIA 46 Class A, B, and Permit Exempt Well locations.	4-13
Figure 4-6. 2002 Entiat valley aquifer storage (ac-ft) vs. mean monthly streamflow (cfs) (Dixon 2003).	4-16
Figure 4-7. Upper Entiat River gain/loss reaches and measurements September 2002.	4-18
Figure 4-8. Lower Entiat River gain/loss reaches and measurements September 2002.	4-19
Figure 4-9. Geographic distribution of WRIA 46 water use as represented on rights & claims.	4-22

Figure 4-10. Columbia River & minor C.R. tributaries primary surface water beneficial use.4-23

Figure 4-11. Entiat River watershed primary surface water beneficial use.....4-24

Figure 4-12. Mad River watershed primary surface water beneficial use.....4-24

Figure 4-13. Columbia River & minor Columbia River tributaries primary ground water beneficial use.4-25

Figure 4-14. Entiat River watershed primary ground water beneficial use.4-26

Figure 4-15. Mad River watershed primary ground water beneficial use.....4-26

Figure 4-16. Primary surface and ground water use reported in conditioned water rights.4-27

Figure 4-17. Primary surface water use reported in water right applications.4-29

Figure 4-18. Primary ground water use reported in water right applications.....4-29

Figure 4-19. US Census blocks within the Entiat subbasin (excluding city) reporting people and houses used for future population predictions.4-43

CHAPTER 5.0

Figure 5-1. Entiat 2002-2003 IFIM study segments and transect sites.....5-5

Figure 5 2. Phenology chart for Chinook salmon and steelhead in the Entiat subbasin.5-8

Figure 5-3. Proposed Administrative instream flows for lower Entiat River and 10%, 50% and 90% flow exceedence values recorded at historic USGS gage #12453000, Entiat at Entiat.....5-19

Figure 5-4. Proposed Administrative instream flows for the upper Entiat River and 10%, 50%, and 90% flow exceedence values recorded at the Stormy gage (USGS gage #12452990, Entiat near Ardenvoir).....5-22

Figure 5-5. Proposed Administrative instream flows for the Mad River and 10%, 50%, and 90% exceedence values recorded at the USGS gage #12452890, Mad at Ardenvoir.....5-25

CHAPTER 6.0

(No figures)

CHAPTER 7.0

Figure 7-1. Entiat and Mad River fine sediment sampling comparisons by reach, 1993-2004.....7-7

Figure 7-2. Comparison of Entiat and Mad River fine sediment sampling reach grand means.....7-7

Figure 7-3. NRCS Stream Team Entiat River study reaches and cross-section locations.7-10

Figure 7-4. Comparison of daily mean streamflows as recorded at the Keystone gage (USGS gage Entiat near Entiat) and the Stormy gage (USGS gage Entiat near Ardenvoir), for water years 1997 and 2001.7-13

Figure 7-5. Total late-run Chinook salmon redds, Entiat River, 1994-2003.7-18

Figure 7-6. USFWS Chinook spawning survey reaches, index area and expanded survey area boundaries.7-19

Figure 7-7. Total spring Chinook salmon redds, Entiat River expanded survey, 1994-2003.....7-24

Figure 7-8. Spring Chinook salmon redds found in the Entiat River index area, 1962-2003.....7-24

Figure 7-9. Mad River steelhead index reach redd counts, 2000-2004.7-28

Figure 7-10. Bull trout redds and adults observed in the Mad River Index Reach, 1989-2003.....7-32

Figure 7-11. Entiat Falls (RM 33.8) is considered a barrier to the upstream migration of anadromous fish.7-39

Figure 7-12. Longitudinal profile of Entiat River analysis zones, channel type, gradient, fish use and landmarks7-41

Figure 7-13. Longitudinal profile of Mad River analysis zones, channel type, gradient, fish use and landmarks.7-42

Figure 7-14. Pool frequency comparisons for the Entiat River, 1930’s to 1990’s7-43

Figure 7-15. Pool frequency comparisons for the Mad River, 1930’s to 1990’s7-44

Figure 7-16. Looking downstream at two of rock cross vane structures installed in 2001 at the Fire Station Bridge site (RM 3.1).7-46

Figure 7-17. View of rock cross vane installed furthest upstream in 2001.7-47

Figure 7-18 One of two engineered log jams installed by the Bureau of Land Management in the lower Entiat River (RM 10.3) during the fall of 2001.7-47

Figure 7-19 One of two large boulder barbs with root wads installed near RM 15 by the BLM during the fall of 2001.....7-48

Figure 7-20. 2002 Entiat River EDT assessment reaches.....7-51

Figure 7-21. Three core performance measures of biological performance.....7-54

CHAPTER 8.0

Figure 8-1. Summary of WRIA 46 historic and current water quality monitoring sites and parameters.....8-6

Figure 8-2. Entiat River water temperature data collected at WDOE 46A070 site during the 1970s (above) and 1980s (below).....8-8

Figure 8-3. Entiat River water temperature data collected at WDOE 46A070 site during the 1990s (above) and 2000s (below).....8-9

Figure 8-4. Relationship between maximum weekly maximum water temperatures (°F) for the Entiat River and land type associations, channel gradient, stream flow and fish distribution.8-13

Figure 8-5. Relationship between maximum weekly maximum water temperatures (°F) for the Mad River and land type associations, channel gradient, stream flow and fish distribution.8-16

Figure 8-6. Summary of Entiat River fecal coliform bacteria data collected by the WDOE at monitoring station 46A070 during the 1970s, 1980s, 1990s & 2000s8-17

Figure 8-7. Summary of Entiat River dissolved oxygen data collected by the WDOE at monitoring station 46A070 during the 1970s, 1980s, 1990s, and 2000s.....8-19

Figure 8-8. Summary of Entiat River pH data collected by WDOE at monitoring site 46A070 during the 1970s, 1980s, 1990s, and 2000s.8-21

Figure 8-9. Summary of Entiat River total phosphorous data collected by WDOE at monitoring site 46A070 during the 1970s, 1980s, 1990s, and 2000s.8-23

Figure 8-10. Summary of Entiat River total persulfate nitrogen data collected by WDOE at monitoring site 46A070 during the 1990s and 2000s.....8-25

Figure 8-11. Longitudinal profile of the Entiat River illustrating the composite node network of the river and relative river gradient.....	8-28
Figure 8-12. Final calibration results showing observed vs. predicted daily mean water temperatures at all validation (V) nodes for all years and time periods simulated.....	8-29
Figure 8-13. Longitudinal profile of Entiat River showing the location and total number of nodes (labeled by RM) used as simulated “measurement points” for counting exceedences for each time period/year simulated.	8-31
Figure 8-14. Number of stream-day water temperature exceedences for simulated baseline conditions and alternative actions for RMs 0-34 (a) and RMs 0-10 (b) during the 8/2/01-9/14/01 (44 day) time period.....	8-32

LIST OF TABLES

CHAPTER 1.0

Table 1-1. Water quantity component compliance items and crosswalk to plan content.	1-9
Table 1-2. Instream flow component compliance items and crosswalk to plan content.	1-10
Table 1-3. Habitat component compliance items and crosswalk to plan content.	1-10
Table 1-4. Water quality component compliance items and crosswalk to plan content.	1-11

CHAPTER 2.0

Table 2-1. USFS land allocations, acreages*, and management emphasis.....	2-5
Table 2-2. Assessment issues and related management strategies, Entiat Analysis Area.	2-6
Table 2-3. Conditions and management strategies common to all vegetative groups. ...	2-7
Table 2-4. Conditions and management strategies for the Shrub/Steppe vegetative group.	2-14
Table 2-5. Conditions and management strategies for the Open Forest vegetative group.	2-18
Table 2-6. Conditions and management strategies for the Closed Forest vegetative group.	2-20
Table 2-7. Conditions and management strategies for Closed Subalpine vegetative group.	2-22
Table 2-8. Conditions and management strategies for the Open Subalpine vegetative group.	2-23

CHAPTER 3.0

Table 3-1. Entiat valley history.	3-10
Table 3-2. WRIA 46 Land Ownership Acreages.	3-18
Table 3-3. Volume of timber sold (in millions of board feet), Entiat Ranger District.....	3-24
Table 3-4. Economic issues identified by 1994 Community Action Plan.....	3-32
Table 3-5. Land Type Associations, hazard interpretations, and associated risk levels.	3-41

Table 3-6. Summary of vegetative groups found within the USFS Entiat Ranger District.	3-46
Table 3-7. Endangered, threatened and sensitive plant species and occurrence in WRIA 46.	3-47
Table 3-8. Primary wetland systems and subsystems found within WRIA 46.	3-48
Table 3-9. Stand replacing fire occurrence and estimated acreages.	3-49
Table 3-10. Select streamflow parameters for the Entiat River recorded at two USGS gages.	3-52

CHAPTER 4.0

Table 4-1. Summary* of Entiat and Mad River gaging sites, types of data collected, and periods of record.	4-2
Table 4-2. Summary* of WRIA 46 tributary gaging sites, types of data collected, and periods of record.	4-5
Table 4-3. Percent contribution of baseflow to total stream flow determined by CCCD HYSEP analysis of Keystone data, WDOE analysis of Entiat at Entiat and Stormy gage data.	4-9
Table 4-4. Summary of surface water certificates and permits.	4-21
Table 4-5. Summary of surface water claims.	4-21
Table 4-6. Summary of ground water certificates and permits.	4-22
Table 4-7. Summary of ground water claims.	4-22
Table 4-8. Surface water certificates, permits and claims by primary beneficial use.	4-23
Table 4-9. Ground water certificates, permits and claims by primary beneficial use.	4-25
Table 4-10. Conditioned surface and ground water certificates and permits.	4-27
Table 4-11. Minimum instream flows associated with conditioned water rights & flow exceedence values by month based on Entiat near Ardenvoir (Stormy) gage data.	4-28
Table 4-12. Surface water right applications.	4-28
Table 4-13. Ground water right applications.	4-28
Table 4-14. Monthly tree water use (ac-in) at WSU Tree Fruit Research Center, 1972-2002.	4-32
Table 4-15. Average monthly tree and pasture/turf irrigation water use (ac-in) estimates.	4-33
Table 4-16. WRIA 46 estimated average monthly/seasonal irrigation water use in ac-ft, assuming 65% application efficiency.	4-34
Table 4-17. Summary of City of Entiat municipal water system data and per capita per day water use estimates.	4-37
Table 4-18. Sample of City of Entiat water meter data for 19 household connections, in gallons per month*.	4-38
Table 4-19. Water that would potentially have been available for storage in 2001, given proposed Administrative instream flows for the lower Entiat River.	4-48

CHAPTER 5.0

Table 5-1. Summary of 2002-2003 Entiat IFIM segment, sites, transects and selection rationale.	5-6
Table 5-2. Proposed Planning Unit Instream Flows for Entiat Segment 1 (RM 0.0-10.6) and Segment 2 (RM 10.6-16.1), to be monitored at the Keystone gage (USGS gage #12452800, Entiat near Entiat).	5-13

Table 5-3. Proposed Planning Unit Instream Flows for Entiat River Segment 3 (RM 16.1-26.5), to be monitored at the Stormy gage (USGS gage #12452990, Entiat near Ardenvoir).5-14

Table 5-4. Proposed Planning Unit Instream Flows for the Mad River (RM 0-4), to be monitored at USGS gage #12452890, Mad at Ardenvoir.5-15

Table 5-5. Proposed Administrative Instream Flows for lower Entiat River (RM 0.0-16.1), to be monitored at the Keystone gage (USGS gage #12452800, Entiat near Entiat).5-17

Table 5-6. Proposed Administrative Instream Flows for the upper Entiat River (RM 16.1-25.8), to be monitored at the Stormy gage (USGS gage #12452990, Entiat near Ardenvoir).5-20

Table 5-7. Proposed Administrative instream flows for the Mad River (RM 0-4), to be monitored at USGS gage #1245890, Mad at Ardenvoir.5-23

CHAPTER 6.0

Table 6-1. Upper Entiat River water budget (cfs), tied to the Stormy gage (USGS gage #12452800, Entiat near Ardenvoir).6-4

Table 6-2. Upper Entiat River water budget (acre-feet), tied to the Stormy gage (USGS gage #12452800, Entiat near Ardenvoir).6-5

Table 6-3. Lower Entiat River water budget (cfs), tied to the Keystone gage (USGS gage #12452990, Entiat near Entiat).6-7

Table 6-4. Lower Entiat River water budget (acre-feet), tied to the Keystone gage (USGS gage #12452990, Entiat near Entiat).6-8

Table 6-5. Mad River water budget (cfs), tied to USGS gage #12452890, Mad at Ardenvoir.6-9

Table 6-6. Mad River water budget (acre-feet), tied to USGS gage #12452890, Mad at Ardenvoir.6-9

Table 6-7. Summary of minor Columbia River tributary precipitation and select surface flows.6-10

CHAPTER 7.0

Table 7-1. Comparison of Entiat River 1999 late-run Chinook spawning survey data and stream temperatures (°F) observed prior to finding the redds.7-4

Table 7-2. Select Rosgen geomorphic stream classification alpha-code descriptions.7-9

Table 7-3. Rosgen geomorphic stream classification numeric-code descriptions.7-9

Table 7-4. Summary of Entiat River reaches and Rosgen geomorphic stream classifications.7-9

Table 7-5. Summary of known and expected fish in the Entiat subbasin, and federal and state status.7-15

Table 7-6. Entiat River late-run Chinook age composition based on USFWS MCRFRO carcass recoveries, 2001-2003.7-21

Table 7-7. USFWS coded-wire tag recoveries, Entiat late-run Chinook carcasses, 2001-2003.7-22

Table 7-8. Summary of Interior Columbia Basin TRT findings* for Entiat River spring Chinook.7-25

Table 7-9. USFWS Entiat River spring Chinook carcass bio-sampling results, 2001-2003.7-26

Table 7-10. USFWS Entiat River spring Chinook carcass coded-wire tag recoveries, 2001-2003.....	7-27
Table 7-11. USFS steelhead/rainbow trout redd counts in the Mad River, 1997 & 1999 - 2004.....	7-28
Table 7-12. Draft USFWS steelhead spawning results for the Entiat River, 2003.....	7-29
Table 7-13. Summary of Interior Columbia Basin TRT findings* for Entiat River summer steelhead.....	7-30
Table 7-14. Summary of Entiat River sockeye observations recorded by the USFWS, 1996-2002.....	7-30
Table 7-15. Summary of Entiat River riparian vegetation inventory findings (RM 0-20.1).....	7-34
Table 7-16. Streambank planting recommendations from 1995 NRCS study.....	7-35
Table 7-17. Additional priority planting recommendations not previously detailed by 1995 NRCS study.....	7-37
Table 7-18. Summary of fish species found during USFWS snorkel surveys of the three demonstration restoration sites in lower Entiat River, 2000-2003.....	7-49
Table 7-19. EDT stream reach designations for the Entiat and Mad Rivers.....	7-52
Table 7-20. Level 2 EDT habitat attributes evaluated for Chinook salmon.....	7-53
Table 7-21. Baseline spawner population performance parameters for Entiat late-run (summer) Chinook and Entiat spring Chinook.....	7-55
Table 7-22. Alternative Management Scenarios for EDT Modeling.....	7-58
Table 7-23. Results of the EDT alternative management scenarios for Entiat spring and late-run (summer) Chinook under the five restoration alternatives.....	7-59
Table 7-24. Common wildlife species found in WRIA 46.....	7-62

CHAPTER 8.0

Table 8-1. Summary of select water quality parameters and associated state criteria.....	8-2
Table 8-2. Summary of Entiat River Class A reach 303(d) listings.....	8-3
Table 8-3. 2002 303(d) list assessment categories and definitions.....	8-3
Table 8-4. Summary statistics for final SNTMP model calibration run.....	8-30
Table 8-5. Exceedence table showing the number of state water quality exceedences for simulated baseline conditions, percent of exceedences based on total number of “measurement” points (n), and proposed alternative actions system-wide (RMs 0-34).....	8-33
Table 8-6. Exceedence table showing the number of state water quality exceedences for simulated baseline conditions, percent exceedences based on total number of “measurement” points (n), and proposed alternative actions in the lower 10 RMs.....	8-34

CHAPTER 9.0

(No tables)

CHAPTER 10.0

Table 10-1. Summary of past and ongoing monitoring activities in WRIA 46.....	10-2
---	------